



# ACDC

Height Adjustable Desks & Tables

boss



Designed to address the changing landscape of the workplace ACDC will transform the way you work.

The ACDC height adjustable table collection delivers benefits for the human body whilst promoting better working practice.



TABLES

ACDC offers the choice that will soon be the norm across both the workplace and home office landscapes.

The height adjustable collection includes a broad range of large meeting tables and fully ergonomic individual sit-stand desks. Promoting shorter standing group meetings and individual desk focused work.






### Table Tops

Available in three top sizes:  
1400mm, 1600mm and 1800mm

Height adjustable from 635mm  
high at the lowest point to 1270mm  
at full extension.

**Table Tops are 18mm MFC**



### Table Frame & Leg Finishes

#### Standard:

Black or white painted frame with  
Black, White or polished foot

Standard foot conforms to British  
Standard BS EN 527-2: 2016



Black RAL 9005 &  
Polished Aluminium



White RAL 9016 &  
Polished Aluminium



Black RAL 9005



White RAL 9016

### Linak Desk Control Components

As standard, ACDC Desking  
features a black or white DL11  
lifting column and a DPF1K two  
button control panel.

To enhance the function of the  
desk, a DPF1C control panel  
with integrated LED & 3 memory  
positions is available. Additionally  
a bluetooth connector is available  
that allows you to control your  
desk via a free app

#### Standard Control Options



DL11 Lifting Column in  
black or white



DPF1K 2 button table  
control panel

#### Optional Extras to Consider



DPF1C with LED & 3  
memory positions



Bluetooth Connector for  
remote desk control

### Boss Design Suggested Power & Data Options

Various power and data options  
are available to specify on ACDC  
Desking however we recommend  
the following shown (right) as  
standard options.

Additionally, power is located  
centre of the table and runs  
parallel with the longest edges.

For customers own power please  
contact us for compatibility




Aircharge  
Black or White



Pixel  
1x Power +TUF



Pivot 47  
2x Power, 1x HDMI + 1x TUF



Phase  
1x Power, 1x TUF

## Detailed Specification

### Leg Column, Frame & Foot Finishes

The ACDC Desking columns, frame and foot finishes are available in the following finishes:



Black RAL 9005 &  
Polished  
Aluminium



White RAL 9016 &  
Polished  
Aluminium



Black RAL 9005



White RAL 9016

### Frame/Top Height

ACDC Desking is 635 - 1270mm high including an 18mm MFC table top.

Please note tolerances are within +/- 10mm.

### Top Finishes

Standard Finish is 18mm MFC with a square edge.

Available with either square corners as standard or **optional** 70mm radius corner.

### Screen Details

ACDC is available with both rear and side screen options, please see power page for the full range.

Side screens are **NOT** available on W1400 tables.

### Table Power Suggestions

ACDC is available with the following power and data options:

- Air charge
- Pixel
- Phase
- Pivot 47

Please see power page for full range.

A 2m starter cable is supplied as standard however other lengths are available.

If you wish to use an alternative power unit, please contact your business development manager for compatibility.

### Power Location

ACDC power locations are available central, left or right to the table and parallel to the longest edge. Positioning may vary depending on the type of power unit specified.

### Cable Management Options

As standard, ACDC design is specified with an OE QikTRAY under desk cable tray

### Delivery & Installation

#### Delivery


Included in the unit price

#### Digital Assets

We hold a library of assets for our Deploy product range which you can find by scanning the QR code below. If you are viewing our interactive PDF, simply click on the QR code to be taken directly there.




### Edge Details Square Edge



Side Profile

### 70mm Radius Corners Optional




Plan View

### RAL Colours\* Standard Foot & Frame Finish Colours



Black RAL 9005



White RAL 9016

\*Due to the printing process, colours are approximate.  
Please view an RAL colour chart for accurate colour representation

### Certification

ACDC Desking is certified to the following standard(s):

- **BS EN 527 - 2: 2016** - safety, strength and durability requirement for work tables and desks for office tasks to be undertaken in a seated, a sit-stand or standing position



### Standard Equipment

Our ACDC Desking system comes fully equipped with everything you need in order to start working from a sat or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.


Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.



Circular Column



DPF1K Control Panel



OE QikTRAY

#### Product Certification

BS EN 527-2: 2016  
Office furniture. Work  
tables. Safety, strength and  
durability requirements

### Standard Power Options

We offer four power & data options as standard however others can be specified. Please see power page for more information.

#### Aircharge

Black or white

#### Pixel

1x UK Power & 1x TUF

#### Pivot 47

2x Power, 1x HDMI & 1x TUF

#### Phase

1x UK Power & 1x TUF




Aircharge  
Black or White








Pixel  
1x Power + TUF




Pivot 47  
2x Power, 1x HDMI + 1x TUF




Phase  
1x Power, 1x TUF


HEIGHT ADJUSTABLE	Code:	Description	Size L x W (mm)		Square Edge Only	 (m³)	 (kg)	Export Commodity Code
					MFC 18mm			
	<b>ACD/1400/P/B</b>	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1400	800		-	-	9 4 0 3 1 0 5 8
	<b>ACD/1400/P/W</b>	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1400	800		-	-	
	<b>ACD/1400/B/B</b>	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1400	800		-	-	
	<b>ACD/1400/W/W</b>	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1400	800		-	-	
	<b>ACD/1600/P/B</b>	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1600	800		-	-	
	<b>ACD/1600/P/W</b>	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1600	800		-	-	
	<b>ACD/1600/B/B</b>	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1600	800		-	-	
	<b>ACD/1600/W/W</b>	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1600	800		-	-	
	<b>ACD/1800/P/B</b>	Polished Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1800	800		-	-	
	<b>ACD/1800/P/W</b>	Polished Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1800	800		-	-	
	<b>ACD/1800/B/B</b>	Black Feet with Black under frame, Black Linak Lifting Column & Pathway Cable Management	1800	800		-	-	
	<b>ACD/1800/W/W</b>	White Feet with White under frame, White Linak Lifting Column & Pathway Cable Management	1800	800		-	-	

Screen Type	Code	Description L x W (mm)	COM	1	2	3	4	5	6	 (lm)	 (kg)	Export Commodity Code
-------------	------	---------------------------	-----	---	---	---	---	---	---	--	--	-----------------------------


#### Rear Screens - Standard Height - 500mm High

		<b>1260W</b> For 1400 x 800 desks								1.4	-	9 4 0 3 1 0 5 8
		<b>1460W</b> For 1600 x 800 desks								1.6	-	
		<b>1660W</b> For 1800 x 800 desks								1.8	-	


#### Side Screen - Standard Height - 500mm High

		<b>H500mm x W660mm</b> Price Per Screen <b>N.B</b> Not available on 1400W Desks								0.75	-	9 4 0 3 1 0 5 8
---	--	---	--	--	--	--	--	--	--	------	---	-----------------

#### Rear Screen - Modesty panel - 700mm High

		<b>1260W</b> For 1400 x 800 desks								2.8	-	9 4 0 3 1 0 5 8
		<b>1460W</b> For 1600 x 800 desks								3.2	-	
		<b>1660W</b> For 1800 x 800 desks								3.6	-	

#### Side Screen - Modesty Height - 700mm High

		<b>H700mm x W660mm</b> Price Per Screen <b>N.B</b> Not available on 1400W Desks								1.5	-	9 4 0 3 1 0 5 8
---	--	---	--	--	--	--	--	--	--	-----	---	-----------------

#### Options

 Fabric Linear Metres  Product Volume Inc. Packaging  Product Weight

CODE:	DESCRIPTION	£	CODE:	DESCRIPTION	£
<b>AIR CHARGE</b>	Wireless charging - Black or White		<b>SNAKE</b>	Cable Snake H1250mm cable management - White	
<b>PIXEL</b>	1x Power & 1x TUF - White		<b>DPF1C</b>	LINAK DPF1C - Digital LED Control Panel	
<b>PIVOT 47</b>	2x Power, 1x HDMI & 1x TUF		<b>BLUE TOOTH</b>	Blue Tooth Adapter	
<b>PHASE</b>	1x Power & 1x TUF - White or Black		<b>RC</b>	70mm Radius corners	




### Table Tops & Frame

Available in multiple top sizes:  
1600mm, 1800mm, 2100mm and  
2400mm


Height adjustable from 640mm  
high at the lowest point to 1150mm  
at full extension.

Table Tops are 18mm thick

### Standard Foot



### Raised Foot



### Frame Options

#### Standard:

Polished Aluminium or Black  
painted RAL 9005 Under Frame  
with Black Cable Trays

#### Cable Management Option

For floor to power cable  
management, we recommend the  
use of Cable snake

See power and data section for  
more information



### Linak Desk Control Components

As standard, ACDC Desking  
features a black or white DL11  
lifting column and a DPF1K two  
button control panel.

To enhance the function of the  
desk, a DPF1C control panel  
with integrated LED & 3 memory  
positions is available. Additionally  
a bluetooth connector is available  
that allows you to control your  
desk via a free app

### Standard Control Options



DL11 Lifting Column in  
black or white



DPF1K 2 button table  
control panel

### Optional Extras to Consider



DPF1C with LED & 3  
memory positions



Bluetooth Connector for  
remote desk control

### Boss Design Suggested Power & Data Options

Various power and data options  
are available to specify on ACDC  
Desking however we recommend  
the following as standard:  
Aircharge, Pixel with TUF A&C and  
Pivot 47.

As standard, power is located  
centre of the table and runs  
parallel with the longest edges.

For customers own power please  
contact us for compatibility



Aircharge  
Black or White



Pixel  
1x Power +TUF



Pivot 47  
2x Power, 1x HDMI + 1x TUF

## Detailed Specification

### Leg Column, Frame & Foot Finishes

The ACDC Height Adjustable columns, frame and foot finishes are available in the following finishes:



Black RAL 9005 &  
Polished  
Aluminium



White RAL 9016 &  
Polished  
Aluminium



Black RAL 9005



White RAL 9016



Black RAL 9005 &  
Polished  
Aluminium



White RAL 9016 &  
Polished  
Aluminium



Black RAL 9005



White RAL 9016

Tables sized at W2400mm (94.5") and above feature a 'crossbar' above the foot for increased stability

### Frame Height

The ACDC Height Adjustable frame height varies depending on:

- Standard Foot: **640\* - 1150mm high** including table top.
- Raised Foot: **730\*\* - 1150mm high** including table top.

**\* 2400 minimum height is 650.**

**\*\* 2400 minimum height is 740.**

### Top Finishes

A choice of tops available as follows:

Standard Finishes - 18mm MFC, MF MDF, Oak & ABW Veneer and Fenix.  
Available either with a square corner as standard or with an optional 70mm radius corners.

### Edge Details

- 18mm MFC - Matching colour edge
- 18mm MF MDF - Matching colour edge
- 18mm Veneer - Solid Edge
- 18mm Fenix - Matching Edge

### Grain Direction

Single table top pieces - Grain runs lengthways

### Meeting Table Power Options

ACDC is available with the following power and data options:

- Aircharge Unit
- Pixel - 1x Power & TUF
- Pivot 25 or 47

Please see page 556 for full specification

**A 2m starter cable is supplied as standard however other lengths are available.**

If you wish to use an alternative power unit, please contact your business development manager for compatibility.

### Power Location

ACDC power locations are available central, left or right to the table and parallel to the longest edge. Positioning may vary depending on the type of power unit specified.

### Delivery & Installation

#### Delivery


Included in the unit price

#### Digital Assets

We hold a library of assets for our Deploy product range which you can find by scanning the QR code below. If you are viewing our interactive PDF, simply click on the QR code to be taken directly there.




#### Edge Details Square Edge



Side Profile

#### 70mm Radius Corners Optional




Plan View

#### RAL Colours\* Standard Finish Colours



Black RAL 9005



White RAL 9016

\*Due to the printing process, colours are approximate.  
Please view an RAL colour chart for accurate colour representation

### Certification

ACDC (Standard Foot) is certified to the following standard(s):

- **BS EN 527 - 2: 2016** - safety, strength and durability requirement for work tables and desks for office tasks to be undertaken in a seated, a sit-stand or standing position





Image Shows ACM/2400/L/P/W with Oak Veneer top in lowered position

### Standard Foot Table

#### Profiles

Height Adjustable from 640mm - 1150mm the Flat foot specified

Square Edge as Standard

Flat foot is compliant to BS EN 527-2: 2016 - For Office tasks to be undertaken in a seated, sit-stand or standing position

Tables sized at W2400mm (94.5") and above feature a 'crossbar' above the foot for increased stability



Black RAL 9005 & Polished Aluminium



White RAL 9016 & Polished Aluminium



Black RAL 9005



White RAL 9016

### Standard Equipment

Our ACDC meeting tables come fully equipped with everything you need in order to start working from a sat or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.

Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.

#### Standard Control Options



DL11 Lifting Column in black or white



DPF1K 2 button table control panel



#### Optional Extras to Consider



DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control

STANDARD FOOT	Code	Description	Size L x W		Seats Approx.	Square Edge Only				 (m³)	 (kg)	Export Commodity Code
						MFC Matching Edge	MF MDF Matching Edge	Oak Or ABW Veneer Solid Edge	Fenix Matching Edge			
						18mm	18mm	18mm	18mm			
Rectangular	ACM/1600/L/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	1600	1000	6					-	-	9403 10 58
Rectangular	ACM/1600/L/P/W	Polished Feet & Under Frame with White Linak Lifting Column	1600	1000	6					-	-	
Rectangular	ACM/1600/L/B	Black Feet & Under Frame with Black Linak Lifting Column	1600	1000	6					-	-	
Rectangular	ACM/1600/L/W	White Feet & White Linak Lifting Column with Black Under Frame	1600	1000	6					-	-	
Rectangular	ACM/1800R/L/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/L/P/W	Polished Feet & Under Frame with White Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/L/B	Black Feet & Under Frame with Black Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/L/W	White Feet & White Linak Lifting Column with Black Under Frame	1800	1000	6					-	-	
Rectangular	ACM/2100R/L/P/B	Polished Feet & Underframe with Black Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/L/P/W	Polished Feet & Underframe with White Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/L/B	Black Feet & Underframe with Black Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/L/W	White Feet & White Linak Actuator with Black Underframe	2100	1000	6-8					-	-	
Rectangular	ACM/2400R/L/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/L/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/L/B	Black Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/L/W	White Feet & White Linak Actuator with Black Underframe	2400	1000	8					-	-	
Elliptical	ACM/2400E/L/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1100	8					-	-	9403 10 58
Elliptical	ACM/2400E/L/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1100	8					-	-	
Elliptical	ACM/2400E/L/B	Black Feet & Underframe with Black Linak Actuator	2400	1100	8					-	-	
Elliptical	ACM/2400E/L/W	White Feet & White Linak Actuator with Black Underframe	2400	1100	8					-	-	
Lozenge	ACM/2400D/L/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/L/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/L/B	Black Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/L/W	White Feet & White Linak Actuator with Black Underframe	2400	1000	8					-	-	

TABLES

 Product Volume Inc. Packaging  Product Weight

## Options

CODE:	DESCRIPTION	£	CODE:	DESCRIPTION	£
CUTOUT	Cut out for customers own power		SNAKE	Cable Snake H1250mm cable management - White	
AIR CHARGE	Wireless charging - Black or White		DPF1C	LINAK DPF1C - Digital LED Control Panel	
PIXEL	1x UK Power & 1x TUF - White		BLUE TOOTH	Blue Tooth Adapter	
PIVOT 47	2x UK Power, 1x HDMI & 1x TUF		RC	70mm Radius corners	



Image Shows ACM/2400/E/H/B with Fenix top in raised position

### Raised Foot Table Profiles

Height Adjustable from 740mm - 1150mm

Square Edge as Standard

For table sizes over W2400mm (94.5") and above feature a 'crossbar' above the foot for increased stability (shown above)



Black RAL 9005 & Polished Aluminium



White RAL 9016 & Polished Aluminium



Black RAL 9005



White RAL 9016

### Standard Equipment

Our ACDC meeting tables come fully equipped with everything you need in order to start working from a sat or standing position.

To further enhance your sit stand working experience, we offer several upgrades & extras for you to choose from. Details of these can be found on the previous two pages.

Is there something you would like to add to your desk but haven't found an option for it here? Simply contact your sales representative who will be able to advise you on compatibility and costings.

#### Standard Control Options



DL11 Lifting Column in black or white



DPF1K 2 button table control panel

#### Optional Extras to Consider





DPF1C with LED & 3 memory positions



Bluetooth Connector for remote desk control



RAISED FOOT	Code	Description	Size L x W		Seats Approx.	Square Edge Only				 (m³)	 (kg)	Export Commodity Code
						MFC Matching Edge	MF MDF Matching Edge	Oak Or ABW Veneer Solid Edge	Fenix Matching Edge			
						18mm	18mm	18mm	18mm			
Rectangular	ACM/1600/H/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	1600	1000	6					-	-	9403 10 58
Rectangular	ACM/1600/H/P/W	Polished Feet & Under Frame with White Linak Lifting Column	1600	1000	6					-	-	
Rectangular	ACM/1600/H/B	Black Feet & Under Frame with Black Linak Lifting Column	1600	1000	6					-	-	
Rectangular	ACM/1600/H/W	White Feet & White Linak Lifting Column with Black Under Frame	1600	1000	6					-	-	
Rectangular	ACM/1800R/H/P/B	Polished Feet & Under Frame with Black Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/H/P/W	Polished Feet & Under Frame with White Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/H/B	Black Feet & Under Frame with Black Linak Lifting Column	1800	1000	6					-	-	
Rectangular	ACM/1800R/H/W	White Feet & White Linak Lifting Column with Black Under Frame	1800	1000	6					-	-	
Rectangular	ACM/2100R/H/P/B	Polished Feet & Underframe with Black Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/H/P/W	Polished Feet & Underframe with White Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/H/B	Black Feet & Underframe with Black Linak Actuator	2100	1000	6-8					-	-	
Rectangular	ACM/2100R/H/W	White Feet & White Linak Actuator with Black Underframe	2100	1000	6-8					-	-	
Rectangular	ACM/2400R/H/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/H/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/H/B	Black Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Rectangular	ACM/2400R/H/W	White Feet & White Linak Actuator with Black Underframe	2400	1000	8					-	-	
Elliptical	ACM/2400E/H/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1100	8					-	-	
Elliptical	ACM/2400E/H/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1100	8					-	-	
Elliptical	ACM/2400E/H/B	Black Feet & Underframe with Black Linak Actuator	2400	1100	8					-	-	
Elliptical	ACM/2400E/H/W	White Feet & White Linak Actuator with Black Underframe	2400	1100	8					-	-	
Lozenge	ACM/2400D/H/P/B	Polished Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/H/P/W	Polished Feet & Underframe with White Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/H/B	Black Feet & Underframe with Black Linak Actuator	2400	1000	8					-	-	
Lozenge	ACM/2400D/H/W	White Feet & White Linak Actuator with Black Underframe	2400	1000	8					-	-	

TABLES

 Product Volume Inc. Packaging  Product Weight

### Options

CODE:	DESCRIPTION	£	CODE:	DESCRIPTION	£
CUTOUT	Cut out for customers own power		SNAKE	Cable Snake H1250mm cable management - White	
AIR CHARGE	Wireless charging - Black or White		DPF1C	LINAK DPF1C - Digital LED Control Panel	
PIXEL	1x UK Power & 1x TUF - White		BLUE TOOTH	Blue Tooth Adapter	
PIVOT 47	2x UK Power, 1x HDMI & 1x TUF		RC	70mm Radius corners	