Telephone Pods

boss

PODs



Range Information

At a Glance



Occupancy: 1 person



Delivery & Install NOT included



- 6mm clear glass panel
- DDA compliant manifestations
- Fully upholstered acoustic wall panels
- 8mm clear glass pivoting door
- 35mm satin silver anodised aluminium frame as standard
- Floor fixed
- TP3 allows for vinyl graphics to be placed
- N.B. Acoustic performance is maximised when the pods are positioned on a carpeted surface and acoustic roof mat is selected.



((? Rated up to 32dB



Description

Model	Typical	Frame Dimensions	Price	Price	Price
	Occupancy	(H x W x D)	Band 1 Fabric	Band 2 Fabric	Band 3 Fabric
TP1	8	2225mm x 900mm x 900mm			

Price does not include packaging. Delivery and/or installation is an additional charge

Standard Specification


- 1 x 6mm clear glass panels with 2 levels of DDA compliant manifestations
- 2 x fully upholstered acoustic wall panels
- 1 x 8mm clear glass pivoting door to include manifestations
- Latch handle
- Floor fixed
- 35mm satin silver anodised aluminium frame
- 50mm crown
- Standard height: 2225mm

Note:

Unit requires special floor fixing, unless levelling plinth is specified

Options £

Concealed airflow LED down light Quad strip LED lighting Concealed airflow + LED downlight Concealed airflow + Quad strip LED downlighting Powder coated frame Locking latch handle Acoustic Roof Mat Levelling plinth inc carpet Brush seal upgrade to bottom edge of door Brush seal upgrade (powder coated) to bottom edge of door



Acoustic performance is maximised when the pods are positioned on a carpeted surface, and when the acoustic roof mat is specified.



TP2 Pod

Model	Typical	Frame Dimensions	Price	Price	Price
	Occupancy	(H × W × D)	Band 1 Fabric	Band 2 Fabric	Band 3 Fabric
TP2	8	2225mm x 900mm x 900mm			

Price does not include packaging. Delivery and/or installation is an additional charge

Standard Specification

- 2 x 6mm clear glass panels with 2 levels of DDA compliant manifestations
- 3 x fully upholstered acoustic wall panels
- 1 x 8mm clear glass pivoting door to include manifestations
- 1x fixed MFC shelf with bracket (900mm high x 200mm deep)
- Latch handle
- Floor fixed
- 35mm satin silver anodised aluminium frame
- 50mm crown
- Standard height: 2225mm

Options £

Concealed airflow LED down light

Quad strip LED lighting

Concealed airflow + LED downlight

Concealed airflow + Quad strip LED downlighting

Powder coated frame


Locking latch handle

Acoustic Roof Mat

Levelling plinth inc carpet

Brush seal upgrade to bottom edge of door

Brush seal upgrade (powder coated) to bottom edge of door



Acoustic performance is maximised when the pods are positioned on a carpeted surface, and when the acoustic roof mat is specified.



TP3 Pod

Model	Typical	Frame Dimensions	Price	Price	Price
	Occupancy	(H × W × D)	Band 1 Fabric	Band 2 Fabric	Band 3 Fabric
TP3	8	2225mm x 900mm x 900mm			

Price does not include packaging. Delivery and/or installation is an additional charge

Standard Specification

- 1 x 6mm clear glass panel with 2 levels of DDA compliant manifestations
- 2 x Upholstered acoustic inner panels
- 1 x 8mm clear glass pivoting door to include manifestations
- 1x corner MFC shelf with bracket (825mm high)
- Latch handle
- Floor fixed
- 35mm satin silver anodised aluminium frame
- 50mm crown
- Standard height: 2225mm

Options £

Concealed airflow

LED down light Quad strip LED lighting

Concealed airflow + LED downlight

Concealed airflow + Quad strip LED downlighting

Powder coated frame

Locking latch handle


Acoustic Roof Mat

Levelling plinth inc carpet

Brush seal upgrade to bottom edge of door

Brush seal upgrade (powder coated) to bottom edge of door

Acoustic inner panels with printed red telephone graphics (including solid outer panels with matching printed red telephone graphic)



TP3

Acoustic performance is maximised when the pods are positioned on a carpeted surface, and when the acoustic roof mat is specified.

£

£





Model	Frame Dimensions (H x W x D)	Description	Price Band 1 Fabric	Price Band 2 Fabric	Price Band 3 Fabric
TP4	W1020mm x D950mm x H2250mm. W40.25" x D37.5" x H80.5"	Fluted Oak			
TP4	W1020mm x D950mm x H2250mm. W40.25" x D37.5" x H80.5"	Fluted Black			
TP4	W1020mm x D950mm x H2250mm. W40.25" x D37.5" x H80.5"	Oak Relief			
TP4	W1020mm x D950mm x H2250mm. W40.25" x D37.5" x H80.5"	White textured			

Price does not include packaging. Delivery and/or installation is an additional charge

Options - Occupancy Indicator

Exterior Occupancy Indicator - 2x Sides

Exterior Occupancy Indicator - 1x Sides


Ceiling Mounted, shining upwards (3m Ceiling Max)

Options - Workshelf & Power/Charging

200mm Deep workshelf 280mm Deep workshelf

Standard Specification

- Satin silver anodised frame
- Levelling plinth, including carpet (Interface Heuga 725 Elephant 672505)
- LED downlight, PIR operated
- Brush Seal to door
- 8mm toughened glass pivoting door, with latch handle
- 6mm twin glass rear panels
- 2x Acoustic internal panels, upholstered
- Power supply cable exits under clad panels, 5m cable supplied



Rear Acoustic Panel Upgrade

Rear Acoustic Panels - Band 1

Rear Acoustic Panels - Band 2

Rear Acoustic Panels - Band 3

Options - Frame Handle Finish

£

Satin Silver Anodised

Powder Coated; RAL 7016 / 9003 / 9005

Add lock to latch handle

Options - Lighting & Airflow

£

LED Single Downlight Only

Quad Strip LED lighting, concealed Airflow

Acoustic performance is maximised when the pods are positioned on a carpeted surface, and when the acoustic roof mat is specified.





Standard Configuration with Glass Rear

Acoustic Rear Panel Upgrade

External Pod finishes









Oak Relief

Fluted Black

Fluted Oak

White Textured

Frame and Handle Finishes









White RAL 9003

Black RAL 9005

Anthracite RAL 7016

Additional Options

Satin Silver

Lighting Options













LED Down Light

Quad Strip LED Lighting

Shelf Depth: 200mm or 285mm

Door Handle Lock

Changing Occupancy Indicator







USA Power & USB charge



EURO Power & USB charge

TP4 - Popular Configurations


Rated up to 34dB

TP4 - Focus Configuration

Dimensions: W1020mm x D950mm x H2250mm W40.25" x D37.5" x H80.5"

- Oak relief outer panels
- 2x Camira Synergy acoustic panels
- Floor levelling plinth
- Latch handle
- Powder coated frame and handle White RAL 9003
- LED light bars to ceiling
- Changing Colour Occupancy Phone Logo RGB LED
- Concealed airflow unit
- D285mm White work table with curved oak edging
- Phase Unit: 1x power + twin USB charge
- PIR Motion/Occupancy Sensor
- DDA compliant manifestations
- 8mm glass door with brush seal

N.B. Acoustic performance is maximised when the pods are positioned on a carpeted surface.






TP4 - Classic Configuration

Dimensions: W1020mm x D950mm x H2250mm W40.25" x D37.5" x H80.5"

- Oak relief outer panels
- 2x Kvadrat Remix acoustic panels
- Floor levelling plinth
- Latch handle
- Powder coated frame and handle Anthracite RAL 7016
- LED light bars to ceiling
- Changing Colour Occupancy Phone Logo RGB LED
- Concealed airflow unit
- D200mm White work table with curved oak edging
- Phase Unit: 1x power + twin USB charge
- PIR Motion/Occupancy Sensor
- DDA compliant manifestations
- 8mm glass door with brush seal

 $\ensuremath{\text{N.B.}}$ Acoustic performance is maximised when the pods are positioned on a carpeted surface.

Complete Configuration Price:



TP4 - Black Configuration

Dimensions: W1020mm x D950mm x H2250mm W40.25" x D37.5" x H80.5"

- Black fluted outer panels
- 2x Kvadrat Remix acoustic panels
- Floor levelling plinth
- Latch handle
- Black powder coated frame and handle Black RAL 9005
- LED light bars to ceiling
- Concealed airflow unit
- D200mm Black work table
- Phase Unit: 1x power + twin USB charge
- PIR Motion/Occupancy Sensor
- DDA compliant manifestations
- 8mm glass door with brush seal

N.B. Acoustic performance is maximised when the pods are positioned on a carpeted surface.



Complete Configuration Price:

TP4 - White Configuration

Dimensions: W1020mm x D950mm x H2250mm W40.25" x D37.5" x H80.5"

- White relief outer panels
- 2x Camira Synergy acoustic panels
- Floor levelling plinth
- Latch handle
- Black powder coated frame and handle RAL 9005
- LED light bars to ceiling
- Concealed airflow unit
- D200mm White work table
- Phase Unit: 1x power + twin USB charge
- PIR Motion/Occupancy sensor
- DDA compliant manifestations
- 8mm glass door with brush seal

 $\ensuremath{\text{N.B.}}$ Acoustic performance is maximised when the pods are positioned on a carpeted surface.





TP4 - Lite Configuration


Dimensions: W1020mm x D950mm x H2250mm W40.25" x D37.5" x H80.5"

- Oak fluted outer panels
- 2x Camira Lucia acoustic panels
- Floor levelling plinth
- Latch handle
- Satin Silver powder coated frame and handle
- LED down light
- D200mm White work table with curved oak edging
- PIR Motion/Occupancy Sensor
- DDA compliant manifestations
- 8mm glass door with brush seal

N.B. Acoustic performance is maximised when the pods are positioned on a carpeted surface.



Complete Configuration Price:



N.B. Delivery and installation is an additional charge and will be confirmed upon completion of a Boss Design site survey form.

